

The Spirit of Birth: Nature, Nurture and the Evidence Workshop

BIBLIOGRAPHY

Alfirevic Z, Devane D, Gyte GML. (2013). Continuous cardiotocography (CTG) as a form of electronic fetal monitoring (EFM) for fetal assessment during labour. *Cochrane Database of Systematic Reviews*, Issue 5. Art. No.: CD006066. DOI: 10.1002/14651858.CD006066.pub2.

Banks M. (2009). The obstetric bed: resistance in action. *Birthspirit Midwifery Journal*, 4:43-46. Available at: www.birthspirit.co.nz.

Banks M. (2003.) Utilising the unborn baby's in-labour movements. *New Zealand College of Midwives Journal*, 29:6.

Begley CM, Gyte GML, Murphy DJ, et al. (2010). Active versus expectant management for women in the third stage of labour. *Cochrane Database of Systematic Reviews* 2010, Issue 7. Art. No.: CD007412. DOI: 10.1002/14651858.CD007412.pub2.

Buckley S J. (2015). *Hormonal physiology of childbearing: evidence and implications for women, babies, and maternity care*. Washington, D.C.: Childbirth Connection Programs, National Partnership for Women & Families. Available <http://childbirthconnection.org/pdfs/CC.NPWF.HPoC.Report.2015.pdf>.

Chalmers I, Enkin M, Keirse MJNC. (1989). *Effective Care in Pregnancy and Childbirth. Volume 2: Childbirth. Parts VI-X & Index*. New York: University Oxford Press, p. 839.

Cheng YW, Hopkins LM, Caughey AB. (2004). How long is too long: does a prolonged second stage of labor in nulliparous women affect maternal and neonatal outcomes? *American Journal of Obstetrics and Gynecology*, 191(3): 933-938.

Cluett ER, Burns E. (2009). Immersion in water in labour and birth. *Cochrane Database of Systematic Reviews*, Issue 2. Art. No.: CD000111. DOI: 10.1002/14651858.CD000111.pub3.

Cooke A. When will we change practice and stop directing pushing in labour? (2010). *British Journal of Midwifery*, 18(2): 76-81.

Davis D, Baddock S, Pairman S, et al. (2011). Planned place of birth in New Zealand: does it affect mode of birth and intervention rates among low-risk women? *Birth*, 38:111-119.

Dixon L. (2003). Birth in a caul: a discussion on the role of amniotomy in physiological labour. *New Zealand College of Midwives Journal*, 29:7-10.

Downe S, Gyte GML, Dahlen HG, et al. (2013). Routine vaginal examinations for assessing progress of labour to improve outcomes for women and babies at term. *Cochrane Database of Systematic Reviews*, Issue 7. Art. No.: CD010088. DOI: 10.1002/14651858.CD010088.pub2.

Duff M. (1998). A journey in assessing labour progress. Book of Proceedings, New Zealand College of Midwives National Conference, Auckland, pp. 1-13.

Gherman RB, Tramont J, Muffley P, Goodwin T. (2000). Analysis of McRoberts' maneuver by x-ray pelvimetry. *Obstetrics & Gynecology*, 95(1): 43-47.

Gherman RB, Goodwin TM, Souter I, Neumann K, Ouzounian JO, Paul RH. (1997). The McRoberts' maneuver for the alleviation of shoulder dystocia: how successful is it? *American Journal of Obstetrics & Gynecology*, 176(3): 656-651.

The Spirit of Birth: Nature, Nurture and the Evidence Workshop

BIBLIOGRAPHY

Hiersch L, Melamed N, Rosen H, et al. (2014). New onset of meconium during labor versus primary meconium-stained amniotic fluid – is there a difference in pregnancy outcome? *The Journal of Maternal-Fetal & Neonatal Medicine*, 27:13: 1361-1367.

Hodnett ED, Downe S, Walsh D, et al. (2010). Alternative versus conventional institutional settings for birth. *Cochrane Database of Systematic Reviews*, 8;(9):CD000012. doi: 10.1002/14651858.CD000012.pub3.

Hodnett ED, Gates S, Hofmeyr GJ, et al. (2011). Continuous support for women during childbirth. *Cochrane Database of Systematic Reviews*. Feb 16;(2):CD003766. doi: 10.1002/14651858.CD003766.pub3.

Katz VL, Bowes WA. (1992). Meconium aspiration syndrome: reflections on a murky subject. *American Journal of Obstetrics & Gynecology*, 166(l:1): 171-183.

Kroeger M, Smith LJ. (2004). *Impact of birthing practices on breastfeeding: protecting the mother and baby continuum*. Jones & Bartlett: London.

Lauzon L, Hodnett E. (2003). Labour assessment programs to delay admission to labour wards (*Cochrane Methodology Review*). In: The Cochrane Library, 4. Chichester, UK: John Wiley & Sons, Ltd.

Leap N, Anderson T. (2004). The role of pain in normal birth and the empowerment of women. In: Soo Downe (Ed). *Normal childbirth: evidence and debate*. Churchill Livingstone: London, pp. 25-39.

Letić M. (2003). Inaccuracy in cervical dilatation assessment and the progress of labour monitoring. *Medical Hypotheses*, 60(2): 199-201.

Madi BC & Crow R (2003) A qualitative study of information about available options for childbirth venue and pregnant women's preference for a place of delivery. *Midwifery*, 19(4): 328-336.

Mercer JS, Erickson-Owens DA, Graves B, Mumford, Haley M. (2007). Evidence-based practices for the fetal to newborn transition. *Journal of Midwifery & Women's Health*, 52(3): 262-72.

Mercer JS, Skovgaard RL. (2002). Neonatal transitional physiology: a new paradigm. *Journal of Perinatal and Neonatal Nursing*, 15(4): 56-75.

Mercer J. (2001). Current best evidence: a review of the literature on umbilical cord clamping. *Journal of Midwifery & Women's Health*, 46(6): 402-414.

Miller S. (2009). Are midwives more 'at home' at home? *Birthspirit Midwifery Journal*, 1, 7-11. Available at: www.birthspirit.co.nz.

Miller S. (2008). First birth at home or in hospital in Aotearoa/New Zealand: intrapartum care midwifery care and related outcomes. Unpublished Masters thesis, Victoria University of Wellington: Wellington.

Ministry of Health. (2015a). *Report on maternity, 2014*. Ministry of Health: Wellington. Available at: www.health.govt.nz.

Ministry of Health. (2015b). *Report on maternity 2014: accompanying tables*. Ministry of Health: Wellington. Available at: www.health.govt.nz.

The Spirit of Birth: Nature, Nurture and the Evidence Workshop

BIBLIOGRAPHY

Monen L, Hasaart TH, Kuppens S. (2014). The aetiology of meconium-stained amniotic fluid: pathologic hypoxia or physiologic foetal ripening? (Review). *Early Human Development*, 90(7): 325-328.

Muza S. (2012). The Wax home birth meta-analysis: an outsider's critique. Available at: <https://www.scienceandsensibility.org>.

Naaktgeboren C. (1989). The biology of childbirth. In: I Chalmers, M Enkin, MJNC Keirse. (1989). *Effective care in pregnancy and childbirth. Volume 2: Childbirth. Parts VI-X & Index*. New York: University Oxford Press, pp. 795-804.

Olsen O, Clausen JA. (2012). Planned hospital birth versus planned home birth. *Cochrane Database of Systematic Reviews*, Issue 9. Art. No.: CD000352. DOI: 10.1002/14651858.CD000352.pub2.

Phelps JY, Higby H, Smyth MH, et al. (1995). Accuracy and intraobserver variability of simulated cervical dilatation measurements. *American Journal of Obstetrics and Gynecology*, 173(3:1): 942-945.

Roberts JE. (2002). The "push" for evidence: management of the second stage. *Journal of Midwifery & Women's Health*, 47(1): 2-15.

Smyth RMD, Markham C, Dowswell T. (2013). Amniotomy for shortening spontaneous labour. *Cochrane Database of Systematic Reviews*, Issue 6. Art. No.: CD006167. DOI: 10.1002/14651858.CD006167.pub4.

Vain NE, Szyld EG, Prudent LM, et al. (2004). Oropharyngeal and nasopharyngeal suctioning of meconium-stained neonates before delivery of their shoulders: multicentre, randomised controlled trial. *The Lancet*, 364(9434): 597-602.

Wieggers TA, van der Zee J, Kerssens JJ, et al. (2000). Variation in home-birth rates between midwifery practices in the Netherlands. *Midwifery*, 16(2): 96-104.

Zhang J, Troendle JF, Yancey MK. (2002). Reassessing the labor curve in nulliparous women. *American Journal of Obstetrics and Gynecology*, 187(4): 824-828.